



NEXEL Co., Ltd.  
55 Magokdong-ro, Seoul,  
07802 Republic of Korea

+82-2-2088-8886 T  
+82-2-2088-8884 F  
[support@nexel.co.kr](mailto:support@nexel.co.kr) E  
[www.nexel.co.kr](http://www.nexel.co.kr) W

## CERTIFICATE OF ANALYSIS

PRODUCT NAME	Cardiosight®-S
Catalog Number	C-002
Lot Number	C2-4A1

- ▼ The Cardiosight®-S consists of a population of human induced pluripotent stem cell derived cardiomyocytes. NEXEL Co. Ltd. guarantees this product has passed the following test parameters while adhering to the Cardiosight®-S User Guide. Please keep in mind, electrophysiology measures will vary with plating conditions.

PARAMETER	RESULT
Purity / Identity	98.6% Cardiomyocytes (+cTnT)
Cell Count & Viability	6.9 million cells (59%)
Electrophysiology	
Beat interval	34.9
FPD (FPDcF)	669.2 ms (561.5 ms)
Drug Response	
E4031 (FPDcF increase at 0.01 $\mu$ M > 20%)	Pass
Nifedipine (FPDcF decrease at 0.1 $\mu$ M > 30%)	Pass
Mexiletine (Spike amplitude decrease at 10 $\mu$ M > 50%)	Pass
Sterility	Pass
Mycoplasma	Negative
Virus	Negative
Other	Negative

The signature below attests that the above tests were performed according to NEXEL SoP.

Quality Control Test by: Jieun An Date: January 25, 2021

The signature below attests that the production lot has been cleared for sales & distribution.

Approved for Sale by: Pong-Mun Woo Date: Jan 25, 2021