



NEXEL Co., Ltd.
55 Magokdong-ro, Seoul,
07802 Republic of Korea

+82-2-2088-8886 T

+82-2-2088-8884 F

support@nexel.co.kr E

www.nexel.co.kr W

CERTIFICATE OF ANALYSIS

PRODUCT NAME	Cardiosight®-S
Catalog Number	C-002
Lot Number	C2-4P1


- ▼ The Cardiosight®-S consists of a population of human induced pluripotent stem cell derived cardiomyocytes. NEXEL Co. Ltd. guarantees this product has passed the following test parameters while adhering to the Cardiosight®-S User Guide. Please keep in mind, electrophysiology measures will vary with plating conditions.

PARAMETER	RESULT
Purity / Identity	96.3 % Cardiomyocytes (+cTnT)
Cell Count & Viability	5.6 million cells (69.5%)
Electrophysiology	
Beat interval	43
FPD (FPDcF)	696 ms (620 ms)
Drug Response	
E4031 (FPDcF increase at 0.01 µM > 20%)	Pass
Nifedipine (FPDcF decrease at 0.1 µM > 30%)	Pass
Mexiletine (Spike amplitude decrease at 10 µM > 50%)	Pass
Sterility	Pass
Mycoplasma	Negative
Virus	Negative
Other	Negative

The signature below attests that the above tests were performed according to NEXEL SoP.

Quality Control Test by: Jeun An  Date: February 24, 2021

The signature below attests that the production lot has been cleared for sales & distribution.

Approved for Sale by: Donghun Woo  Date: February 24, 2021